

PREPARED BY	DATE	DATA COLLECTED	MICROSOFT 365 TENANT
Harbour IT	12 Oct 2026	12 Oct 2026, 06:36 UTC	northwindtraders.onmicrosoft.com

How people sign in and how strong that is: methods by strength, admins without phishing-resistant MFA, the methods policy, and password age and expiry.

Filtered view. Strongest method: 2 of 4 rows, Flag is Medium. Password expiry policy: 3 of 3 rows, 1 column hidden. The headline figures cover every row.

Phishing-resistant 6 of 36 Passkey, security key, Windows Hello or certificate	Admins without phishing-resistant 2 Admin roles should need a passkey or security key	Phone is the only second factor 3 Text message or voice call	Passwordless ready 0 of 36 Can sign in without a password
No self-service reset 1 Can't reset a forgotten password themselves	Password never expires 0 Fine with MFA: expiry is no longer advised	Password over a year old 0 Matters most without MFA	Never signed in, old password 0 Probably still the first password

Strongest method 2 2 to review

Each enabled member counted once, by the strongest method they have.

By strength


Phone (SMS or voice call)		3
None		13

Flag	Strength	People	Admins	Share of members	What it means
● Medium	Phone (SMS or voice call)	3	0	8%	Weakest second factor: texts and calls can be intercepted or moved to another SIM.
● Medium	None	13	1	36%	No second factor: the password alone gets in.

Methods registered 5

How many enabled members have each method. People usually have more than one.

By method



Flag	Method	Strength	People	Admins
	Windows Hello for Business	Phishing-resistant	5	0
	Passkey	Phishing-resistant	1	0
	Authenticator app	Authenticator app or token	20	1
	Authenticator code (OATH)	Authenticator app or token	13	0
● Low	Mobile phone (SMS or call)	Phone (SMS or voice call)	3	0

Sign-in methods by person 36 17 to review

Enabled members and what they can sign in with, weakest first and admins at the top. Who hasn't set up MFA at all, and whether it's required, is in MFA coverage.

Flag	Account	Admin	Admin roles	Strongest method	Methods	Asked for first	Passwordless	Self-service reset	What to do
● High	breakglass@northwindtraders.example	Yes	Global Administrator	None	–	–	No	No	No second factor. Set up MFA first (see MFA coverage).
● Medium	ann.patel@northwindtraders.example	Yes	Global Administrator, Groups Administrator (limited scope)	Authenticator app or token	Authenticator app	Authenticator app	No	Yes	Admin without a phishing-resistant method: register a passkey or security key.
● Medium	alfie.roberts@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	alfie.scott@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	grace.wilson@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	hannah.robinson@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	leo.morris@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	leo.wright@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).

Flag	Account	Admin	Admin roles	Strongest method	Methods	Asked for first	Passwordless	Self-service reset	What to do
● Medium	maya.martin@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	olivia.scott@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	owen.taylor@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	rhys.clark@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	sophie.smith@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	thomas.clarke@northwindtraders.example	No	–	None	–	–	No	Unknown	No second factor. Set up MFA first (see MFA coverage).
● Medium	arthur.evans@northwindtraders.example	No	–	Phone (SMS or voice call)	Mobile phone (SMS or call)	–	No	Unknown	Only a phone: set up the Authenticator app (or a passkey), then keep the phone as a backup at most.
● Medium	mia.hughes@northwindtraders.example	No	–	Phone (SMS or voice call)	Mobile phone (SMS or call)	–	No	Unknown	Only a phone: set up the Authenticator app (or a passkey), then keep the phone as a backup at most.
● Medium	zara.jackson@northwindtraders.example	No	–	Phone (SMS or voice call)	Mobile phone (SMS or call)	–	No	Unknown	Only a phone: set up the Authenticator app (or a passkey), then keep the phone as a backup at most.

Flag	Account	Admin	Admin roles	Strongest method	Methods	Asked for first	Passwordless	Self-service reset	What to do
	aaron.watson@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	amelia.watson@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	ella.baker@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	ethan.green@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	george.roberts@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	george.robinson@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	hannah.patel@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	harry.lee@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	imogen.edwards@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	megan.lee@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing

Flag	Account	Admin	Admin roles	Strongest method	Methods	Asked for first	Passwordless	Self-service reset	What to do
	olivia.smith@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	rhys.moore@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	ruby.taylor@northwindtraders.example	No	–	Authenticator app or token	Authenticator app, Authenticator code (OATH)	–	No	Unknown	Nothing
	grace.taylor@northwindtraders.example	No	–	Phishing-resistant	Passkey, Authenticator app	–	No	Unknown	Nothing
	isla.evans@northwindtraders.example	No	–	Phishing-resistant	Windows Hello for Business, Authenticator app	–	No	Unknown	Nothing
	jacob.hughes@northwindtraders.example	No	–	Phishing-resistant	Windows Hello for Business, Authenticator app	–	No	Unknown	Nothing
	leo.evans@northwindtraders.example	No	–	Phishing-resistant	Windows Hello for Business, Authenticator app	–	No	Unknown	Nothing
	owen.white@northwindtraders.example	No	–	Phishing-resistant	Windows Hello for Business, Authenticator app	–	No	Unknown	Nothing
	ruby.hill@northwindtraders.example	No	–	Phishing-resistant	Windows Hello for Business, Authenticator app	–	No	Unknown	Nothing

Sign-in methods policy 12

Which methods people may register and use, from the tenant's authentication methods policy, against what's recommended for a small business.

Flag	Setting	Current	Recommended	Why
	Passkeys and security keys (FIDO2)	On for Break glass	On	Needed for phishing-resistant sign-in, which admins should use.
	Microsoft Authenticator	On for All users	On	The second factor most people should use.
	Authenticator shows which app is signing in	Microsoft managed	On (Microsoft managed turns it on)	Helps people spot a sign-in that isn't theirs.
● Low	Authenticator shows where the sign-in is from	Off	On (Microsoft managed turns it on)	Helps people spot a sign-in that isn't theirs.
● Low	Text message (SMS)	On for All users except Break glass	Off, once people use Authenticator	Texts can be intercepted or moved to another SIM.
	Voice call	Off	Off	Calls can be redirected, and are easy to approve by mistake.
	Email one-time passcode	On for All users	Off, unless guests or password reset need it	Not a second factor for members; only for password reset and guests.
	Temporary Access Pass	Off	On, for setting up passkeys	A time-limited pass for setting up a new phone or passkey.
	Registration campaign (asks people to set up Authenticator at sign-in)	Microsoft managed, for All users, can be skipped for 1 day	On, or Microsoft managed	Moves people off text messages and calls.
● Low	System-preferred MFA (asks for the strongest method a person has)	Off	On, or Microsoft managed	Otherwise people are asked for their own default, often a text message.
	People can report an MFA prompt they didn't expect	Microsoft managed	On	A reported prompt blocks the account's risky sign-ins and alerts admins.
	Methods managed in this policy (not the old MFA and SSPR settings)	Yes	Yes	Microsoft has retired the old per-user MFA and SSPR method settings.

Authentication strengths in Conditional Access 0

Conditional Access policies that require a particular strength of MFA rather than any MFA. Requiring Phishing-resistant MFA for admin roles is the usual first step.

No Conditional Access policy requires an authentication strength. Start with one requiring Phishing-resistant MFA for admin roles, once admins have a passkey.

Password age 36

When each enabled member's password was last set. An old password matters most without MFA; an account that has never signed in may still have the password it was created with. Problems first, then oldest first.

Account	Password last changed	Never expires	Synced from on-premises	Last sign-in	MFA set up	What it means
thomas.clarke@northwindtraders.example	Unknown	No	No	2 Jun 2026	No	–
hannah.robinson@northwindtraders.example	Unknown	No	No	7 Apr 2026	No	–
sophie.smith@northwindtraders.example	Unknown	No	No	22 Jan 2026	No	–
megan.lee@northwindtraders.example	Unknown	No	No	10 Oct 2026	Yes	–
grace.taylor@northwindtraders.example	Unknown	No	No	12 Oct 2026	Yes	–
owen.white@northwindtraders.example	Unknown	No	No	10 Oct 2026	Yes	–
ruby.taylor@northwindtraders.example	Unknown	No	No	30 Sep 2026	Yes	–
olivia.smith@northwindtraders.example	Unknown	No	No	8 Oct 2026	Yes	–
grace.wilson@northwindtraders.example	Unknown	No	No	11 Oct 2026	No	–
zara.jackson@northwindtraders.example	Unknown	No	No	11 Oct 2026	Yes	–
leo.evans@northwindtraders.example	Unknown	No	No	12 Oct 2026	Yes	–
amelia.watson@northwindtraders.example	Unknown	No	No	11 Oct 2026	Yes	–
george.robinson@northwindtraders.example	Unknown	No	No	11 Oct 2026	Yes	–
hannah.patel@northwindtraders.example	Unknown	No	No	5 Oct 2026	Yes	–

Account	Password last changed	Never expires	Synced from on-premises	Last sign-in	MFA set up	What it means
ethan.green@northwindtraders.example	Unknown	No	No	12 Oct 2026	Yes	–
ruby.hill@northwindtraders.example	Unknown	No	No	6 Oct 2026	Yes	–
mia.hughes@northwindtraders.example	Unknown	No	No	11 Oct 2026	Yes	–
rhys.moore@northwindtraders.example	Unknown	No	No	10 Oct 2026	Yes	–
leo.wright@northwindtraders.example	Unknown	No	No	29 Sep 2026	No	–
leo.morris@northwindtraders.example	Unknown	No	No	11 Oct 2026	No	–
isla.evans@northwindtraders.example	Unknown	No	No	5 Oct 2026	Yes	–
owen.taylor@northwindtraders.example	Unknown	No	No	11 Oct 2026	No	–
maya.martin@northwindtraders.example	Unknown	No	No	12 Oct 2026	No	–
arthur.evans@northwindtraders.example	Unknown	No	No	6 Oct 2026	Yes	–
harry.lee@northwindtraders.example	Unknown	No	No	11 Oct 2026	Yes	–
alfie.scott@northwindtraders.example	Unknown	No	No	5 Oct 2026	No	–
rhys.clark@northwindtraders.example	Unknown	No	No	12 Oct 2026	No	–
ella.baker@northwindtraders.example	Unknown	No	No	12 Oct 2026	Yes	–
alfie.roberts@northwindtraders.example	Unknown	No	No	30 Sep 2026	No	–
olivia.scott@northwindtraders.example	Unknown	No	No	10 Oct 2026	No	–
jacob.hughes@northwindtraders.example	Unknown	No	No	11 Oct 2026	Yes	–
george.roberts@northwindtraders.example	Unknown	No	No	29 Sep 2026	Yes	–
aaron.watson@northwindtraders.example	Unknown	No	No	10 Oct 2026	Yes	–
imogen.edwards@northwindtraders.example	Unknown	No	No	10 Oct 2026	Yes	–
ann.patel@northwindtraders.example	Unknown	No	No	30 Sep 2026	Yes	–
breakglass@northwindtraders.example	Unknown	No	No	30 Sep 2026	No	–

Password expiry policy 3

How often cloud-only accounts on each domain must change their password. Microsoft and the NCSC now advise against regular expiry when everyone has MFA: forced changes lead to weaker, predictable passwords. Accounts synced from on-premises AD follow AD's policy instead.

Flag	Domain	Signs in with	Passwords expire after	Reminder before expiry
	northwindtraders.example	Microsoft Entra ID	Never	–
	northwindtraders.onmicrosoft.com	Microsoft Entra ID	Never	–
● Low	parked.example	Microsoft Entra ID	90 days	14 days

Prepared by Harbour IT (help@harbourit.example · 0161 496 0000). Read from Microsoft 365 with read-only access; nothing was changed. Data collected 12 Oct 2026, 06:36 UTC.